



Leaders in Eye Care

www.eyecenteroftexas.com

6565 West Loop South  
Suite 650  
Bellaire, Texas 77401  
Ph. 713.797.1010  
Fax.713.797.6200

4415 Crenshaw  
Pasadena, Texas 77504  
Ph. 281.977.8800  
Fax.281.977.8877

15400 Southwest Frwy  
Suite 301  
Sugar Land, Texas 77478  
Ph. 281.277.1010  
Fax.281.277.4504

21700 Kingsland Blvd.  
Suite 102  
Katy Medical Complex  
Professional Building 1  
Katy, TX 77450  
Ph. 713.797.1010  
Fax.713.357.7276

450 Medical Center Blvd.  
Suite 305  
Webster, Texas 77598  
Ph. 281.332.1397  
Fax 281.338.1215

Edward C. Wade, M. D.  
Ting Fang-Suarez, M. D.  
Mark L. Mayo, M. D.  
Randall N. Reichle, O. D.

Christopher D. Allee, O. D.  
Jill Autry, O. D.  
Amanda Bachman, O. D.  
Julie Ngo, O. D.

## Informed Consent for Cataract Surgical Procedure And/Or Implantation of Intraocular Lens

### INTRODUCTION

This information is given to you so that you can make an informed decision about having eye surgery. Take as much time as you wish to make your decision about signing this informed consent. You have the right to ask any questions about any procedure before agreeing to have the operation.

Except for unusual problems, a cataract operation is indicated only when you cannot function adequately due to poor sight produced by the cataract. Please remember that the natural lens, with a slight cataract, may not be perfect but has some distinct advantages over any man-made lens.

After your doctor has told you that you have a cataract, only you and your doctor can determine if or when you should have a cataract operation. This important decision should be based on your own vision needs and medical considerations, unless you have an unusual cataract that may need immediate surgery.

### ALTERNATE TREATMENTS

You may decide not to have a cataract operation at all. However, should you decide to have an operation, you should understand that modern cataract surgery includes the implantation of an intraocular lens.

1. **Intraocular lens** - an intraocular lens is a small plastic/silicon artificial lens with plastic supports which is surgically placed inside your eye. The intraocular lens is designed to remain in your eye permanently. The UV absorbing material absorbs UV light in a similar fashion to the natural lens that is being removed. With the intraocular lens, there appears to be no change in the size of objects seen. Conventional eyeglasses (not cataract spectacles) are usually needed in addition to an intraocular lens to give you the best vision possible, unless you choose one of our custom lens implants (see below).

In rare circumstances, an intraocular lens may not be appropriate. In these cases, there are two alternative methods of correcting your vision:

2. **Spectacles (glasses)** – cataract spectacles are usually thicker and heavier than regular eyeglasses. Cataract spectacles increase the size of objects by about 25 %. Clear vision is obtained only through the central part of cataract spectacles. This means you must learn to turn your head to see clearly on either side. Cataract spectacles usually cannot be used if a cataract is only in one eye (and the other is normal) because the spectacles may cause double vision.

Patient's Initials \_\_\_\_\_

Informed Consent- Con't –

3. **Contact lens** – a hard or soft contact lens increases the size of objects only about 8%. Handling of a contact lens can be difficult for some individuals. Most lenses must be inserted and removed daily and not everyone can tolerate contact lenses. For near tasks, eyeglasses (not cataract spectacles) may be required in addition to contact lenses.

**In giving your permission for a cataract extraction and/or for the implantation of an intraocular lens in your eye, it is very important that you understand the following information:**

1. Cataract surgery in essence is the removal of the natural lens of the eye utilizing a surgical technique. The natural lens of the eye must be removed in order for an intraocular lens to be implanted.
2. If an intraocular lens is implanted, it is done utilizing a surgical procedure. It is intended that the small plastic/silicon lens with the plastic supports remain in your eye permanently.
3. The results of the cataract operation cannot be guaranteed in any case.
4. At the time of surgery, your doctor may decide not to implant an intraocular lens in your eye even though you may have given prior permission to do so.
5. Complications of surgery to remove the cataract include the following:  
Although rare, as a result of the surgery, it is possible that your vision may be made worse. In some cases, complications may occur weeks, months or even years later. Complications may include hemorrhage (bleeding), drooping of the upper lid, loss of corneal clarity, infection, detachment of the retina, glaucoma, and/or double vision. These and other complications may occur whether or not an intraocular lens is implanted.
6. ***Specific Complications Of The Lens Implantations:***  
Insertion of an intraocular lens may induce complications that otherwise would not occur. In some cases, complications may develop during surgery, days, weeks, months or even years later. Complications may include loss of corneal clarity, infections, uveitis, iris atrophy, glaucoma, bleeding in the eye, inability to dilate the pupil, discoloration of the lens and retinal detachment.
7. At some future time, the lens implanted in your eye may have to be repositioned or removed surgically (if medically necessary).
8. ***Complications Of Surgery In General:***  
As with all types of surgery, there is the possibility of other complications due to anesthesia, drug reactions or other factors that may involve other parts of your body, including a possibility of brain damage or even death. Since it is impossible to state every complication that may occur as a result of surgery, the list of complications included in this form is incomplete.

Patient's Initials \_\_\_\_\_

Informed Consent- Con't -

9. Following cataract surgery with implantation of an intraocular lens, a prescription for spectacles or contact lenses is usually necessary. The prescription will include a spectacle or contact lens correction for your near vision and usually for your distance vision. In some cases, a distance correction will not be necessary but we cannot predict nor guarantee, in any fashion, that you will not need glasses (for near or distance vision) following cataract surgery. If you have decided to have one of our premium lenses, your dependence on glasses will be greatly reduced but may not be completely eliminated.
10. Following cataract surgery with implantation of an intraocular lens approximately 50% of all patients experience a clouding of the posterior capsule (the membrane inside the eye that holds the intraocular lens in place). This clouding results in a decrease in vision and can occur within months or years after the cataract surgery. This is a naturally occurring condition in some patients and not the result of the surgery, the post-op care or anything done or not done by the patient or the doctor. This condition is resolved by the use of a YAG laser in a painless procedure performed on an outpatient basis. This condition and treatment is not part of, or included with, the cataract surgery but is easily remedied with a short laser procedure. Should you experience a decrease in vision following your cataract surgery, please consult your doctor.
11. Following cataract surgery with implantation of an intraocular lens, several examinations will be necessary to monitor the health of your eye and the healing process. You have the option to return to your referring doctor for appropriate post-operative examinations. We are fully confident in the post-operative care delivered by optometrists affiliated with our office and believe this to be very convenient for most patients. We have full confidence in the clinical competence on an on-going basis. Any unacceptable risks or complications during your surgery may result in modifications to our recommended post-operative care. The optometrist providing part or all of your post-operative care will bill for his/her services. Your payment obligations to the optometrist shall be determined by your insurance (Medicare/Medicaid) coverage. However, should you wish to receive all of your post-operative care at our office we will be happy to accommodate your request.

Custom IOLs

It is important that you are aware of the different lens implants that are available to you. The basic implant was described above. The Custom implants allow you to be less dependent on glasses. Toric implants correct for astigmatism and will help you to drive, watch TV and see people from across the room without glasses. If you desire this lens, please make your counselor or your doctor aware of this. Multifocal (presbyopic) implants will correct both distance and near vision so you are less dependent on glasses or contacts for both distances. In fact, most people are able to perform 90-95% of their daily activities without the need for glasses. The effect with these implants is permanent so you will enjoy your spectacle free vision for the rest of your life! If you elect to have these implants and you have astigmatism, you will need it corrected with an LRI incision and/or laser vision correction. This is included in your procedure for astigmatism <2.0 cylinder. Patients >2.0 cylinder are charged an additional fee. Also, be aware there is a slightly greater chance you will notice some halo and glare with these implants. This is usually temporary, however, 5% of people will notice significant halo and glare 6 months after surgery.

Also, an additional period of “Neuro Adaptation” may be necessary for you to learn to use these implants may be necessary. This usually takes a few days, but in some people, may take weeks or months. It is not uncommon for the clear capsule (that is part of your eye that helps support the implant)

Patient’s Initials \_\_\_\_\_

Informed Consent- Con't -



DISCLOSURE OF PHYSICIAN OWNERSHIP

I understand that my physician may be an owner of and have an interest in the facility at which I am scheduled for surgery. As an owner in the Center, my physician has input and influence over the quality of the staff, facility, and patient care at the Center. The Center believes that this provides the patient with excellent treatment and care relative to other facilities where my physician has little or no control or influence over operations. I understand that I have the right to choose the provider of my healthcare services. Therefore, I have the option to use a healthcare facility other than the above center with out being treated differently by my physician.

Dr. Wade has ownership of Doctors Outpatient Surgicenter, River Oaks Surgery Center, Gramercy Surgery Center, and Sugar Land Surgery Center.

Dr. Mayo has ownership of Doctors Outpatient Surgicenter.

Patient Signature \_\_\_\_\_

Date \_\_\_\_\_